

ROOF FANS / Centrifugal Roof Mounted Fan

VYF

Centrifugal Roof Mounted Fan




Description

- High efficient backward curved impeller is made up of galvanized steel sheet.
- The bird protection guard and roof base support are made up of galvanized steel sheet
- High corrosion resistant aluminum roof cowl.
- The motor is outside of air stream.

Motor Feature

- Composed of Backward Curved blades.
- Single-phase 220-240-380V 50 Hz
- Working temperature: -40°C +120 °C
- F Class motor insulation and IP55 protection class.
- Speed control with linear voltage regulator for 1 single phase VSC and the for 3 phase motor VFI is suitable.

Model	Voltage (V)	Frequency (Hz)	Power (KW)	Current (A)	Speed (r.p.m)	Airflow (m³/h)	Sound Pressure dB(A)	Weight (kg)
VYF 280	230 / 380	50	0,37	1,82 / 0,79	1400	1000	46	35
VYF 315	230 / 380	50	0,37	2,54 / 1,15	1400	1750	43	42
VYF 355	230 / 380	50	0,37	3,38 / 1,60	1400	2300	44	50
VYF 400	230 / 380	50	0,55	4,60 / 2,10	1400	3600	49	55
VYF 450	230 / 380	50	1,10	7,30 / 2,60	1400	5000	52	62
VYF 500	230 / 380	50	1,10	9,20 / 3,50	1400	8500	54	68
VYF 560	230 / 380	50	1,50	13,60 / 5,00	1400	10000	56	75
VYF 630	230 / 380	50	3	19,00 / 6,60	1400	11200	50	127
VYF 710	380	50	5,5	- / 8,20	1400	16000	53	195









Accessories



Model	A	B
VYF 280	500	500
VYF 315	500	500
VYF 355	550	550
VYF 400	600	600
VYF 450	650	650
VYF 500	700	650
VYF 560	800	700
VYF 630	850	700
VYF 710	900	800




ROOF FANS / Centrifugal Roof Mounted Fan



Accessories



ROOF FANS / Centrifugal Roof Mounted Fan



Accessories

